

Brother HL 1430



Delivering up to 14 pages per minute at 600 x 600 dpi resolution, Brother's new mono laser printer gives you the professional standards you require in the home or in the office. The HL-1430 comes with 4 MB memory as standard, 250-sheet paper capacity and wide compatibility for Windows and Mac OS computing environments, all in a discreet, elegant machine that takes up very little desk space. It is quick and easy to install and includes the benefit of comprehensive technical support with Windows interactive animations, giving a step-by-step guide to your new printer. For additional peace of mind you also enjoy direct access to the Brother Solutions Center web site. And as with all Brother printers, the easy to replace consumables require little effort and no fuss. The HL-1430 brings total efficiency to your home or office.

www.dooyoo.co.uk :: Computer :: Laser Printer :: Brother HL 1430

General	
Printer Type	Workgroup printer - laser - monochrome
Width	36 cm
Depth	37 cm
Height	23.5 cm
Weight	9.2 kg
Localisation	English / United Kingdom

Printer	
Print Speed	Up to 15 ppm - B/W - ANSI A (Letter) (216 x 279 mm) Up to 14 ppm - B/W - A4 (210 x 297 mm)
Connectivity Technology	Wired
Interface	Parallel, USB
Max Resolution (B&W)	600 dpi x 600 dpi

Processor	
Processor	Fujitsu MB86833 66 MHz

RAM	
RAM Installed (Max)	4 MB / 4 MB (max)



Media Handling

Media Type	Envelopes, transparencies, labels, plain paper, bond paper, recycled paper
Max Media Size (Custom)	216 mm (Legal) x 356 mm (Legal)
Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), Folio (216 x 330 mm), B6 (125 x 176 mm)
Envelope Sizes	US No 10 (104.7 x 241.3 mm), International DL (110 x 220 mm), International C6 (114 x 162 mm), International C5 (162 x 229 mm), International B5 (176 x 250 mm), Monarch (98.4 x 190.5 mm), US No 9 (98.6 x 225.6 mm), US No 11 (114.3 x 263.5 mm)
Total Media Capacity	250 sheets
Media Feeder(s)	1 x autoload - 250 sheets 1 x manual load - 1 sheets

Duty Cycle

Cartridge / Printhead Included Qty	1
------------------------------------	---

Expansion / Connectivity

Connections	1 x USB - 4 PIN USB Type B 1 x parallel - IEEE 1284 (EPP/ECP)
-------------	---

Miscellaneous

Consumables Included	1 x toner cartridge 1 x drum - up to 20000 pages
Compliant Standards	EN 60950, EN55022, EPA Energy Star, IEC 61000-3-2, IEC 61000-3-3, EN55024

Power

Power Device	Power supply
Power Consumption Operational	340 Watt
Power Consumption Stand by / Sleep	70 Watt

Software / System Requirements

Software Included	Drivers & Utilities
OS Required	Microsoft Windows NT 4.0, Microsoft Windows 95/98, Apple MacOS 8.6 or later, Microsoft Windows Millennium Edition, Apple MacOS 9.2, Apple MacOS X 10.1, Apple MacOS X 10.2,



Microsoft Windows 2000 / XP

Environmental Parameters

Min Operating Temperature	10 °C
Max Operating Temperature	32.5 °C
Humidity Range Operating	20 - 80%
Sound Emission	30 dB (idle) / 50 dB (operating)